



Technical Data Sheet

Bondloc B7776 Chain & Cable

PRODUCT DESCRIPTION

B7776 is a heavy duty, molybdenum disulphide reinforced lubricant which penetrates deeply into drive chains and wire ropes to give long lasting lubrication, preventing corrosion, wear and chain elongation, it gives outstanding performance under extreme load and is resistant to fling off.

APPLICATIONS

B7776 can be used on chain blocks, drive chains, fork lift chains and wire ropes.

USEFUL NOTES

- Use on chain blocks, drive chains, forklift chains and wire ropes.
- Extreme pressure additives for heavy loads.
- Excellent lubrication properties
- Resistant to flinging off.
- Penetrates deeply.
- High resistance to wash off.

INSTRUCTIONS FOR USE

Shake can well before use. Spray from 15-30cm on to surface to be treated, allow to penetrate. After use invert can and spray to clear nozzle.

STORAGE

Storage temperature should be kept below 50°C. Storage area should be out of direct sunlight.

TECHNICAL FEATURES

Appearance	Brown foaming spray
Odour	Oily solvent
Contents	Blend of mineral oils, Molybdenum disulphide, extreme pressure and dewatering additives, solvent and hydrocarbon propellants.
Solubility	Insoluble in water
Storage	Below 50°C
Flash Point	-40°C
Relative Density	0.722
Temperature Range	-10°C to +180°C

HEALTH & SAFETY

This technical information sheet does not constitute a Safety Data Sheet (SDS). Before using this product ensure you have read and fully understood this products SDS.

PACKAGING FORMAT

Aerosol Can.....500ml

Bondloc UK Ltd.
Units 1 & 2
Bewdley Business Park
Bewdley, Worcestershire
DY12 2TZ, UK

+44 (0) 1299 269 269
sales@bondloc.co.uk





Technical Data Sheet

Bondloc B7776 Chain & Cable

PRODUCT DISCLAIMER

Bondloc offers this Technical Data Sheet ("TDS") for descriptive and informational use only. It is not a warranty, a contract or a substitute for expert or professional advice. Please also see the local product Safety Data Sheet for health and safety considerations. The statements, technical information, data, and recommendations contained in this TDS are provided 'AS IS' and are not warranted or guaranteed in any way. They represent typical results for the products and are based on Bondloc's research only. Since the conditions and methods of use of the products are beyond our control, Bondloc expressly disclaims any and all liability and damages of whatever kind or nature that may arise from any use of the products, the results therefrom, or reliance on the information contained herein. This TDS is one of several tools that may be used to help you find the product best suited for your needs. It is used at your own risk, and by using it, you are knowingly accepting and assuming any and all risks associated with its use and recommendations. BUYERS AND USERS ASSUME ALL RESPONSIBILITY AND LIABILITY FOR ANY AND ALL LOSS OR DAMAGE OF WHATEVER KIND OR NATURE ARISING FROM OR RELATED TO THE HANDLING OR USE OF BONDLOC'S PRODUCTS. The performance of the product, its shelf life, and application characteristics will depend on many variables, including but not limited to the kind of materials to which the product will be applied, the environment in which the product is stored and/or applied, and the equipment used for the application, among other things. Any change in any of these variables can affect the product's performance. You are responsible to test the suitability of any product in advance for any intended use or application. Bondloc does not guarantee the reliability, completeness, use, or function of the statements, technical information, data, and recommendations contained in this TDS.

Bondloc UK Ltd.
Units 1 & 2
Bewdley Business Park
Bewdley, Worcestershire
DY12 2TZ, UK

+44 (0) 1299 269 269
sales@bondloc.co.uk

